VCS Shock Testing

Create New Test

To create a new test, first open up EDM. On the VCS Start Page, select **Classical Shock** under the **Create a test** tab.

EDM Spider-VCS Start Page			? ×
CRYSTAL Engineerin	ng Data Manage	ement Syste	2 m 11.1.0.15
Recent lests	1	Accountio	ain
Open Test	Account Password:	Admin	Please login to VCS.
Create a test	Spider-80X (SN: 2597504 (I	Spider connectio P: 192.168.1.153]) de	on status etected
MESA RoRSoR MDOF Random	Detect more Spiders		🗊 Do not show this start page
Classical Shock Transient Time History Control SRS Earthquake Transient Random Sine Beat Seismic Crash Control MIMO Shock MIMO TTH MIMO SRS Time waveform replication MIMO TWR	New Edition Spider-80Xi With LCD R2/64 Channels Dynamic De	a Acquestion System	

The **New Test Wizard** will now open up. From here, select **Classical Shock** again and then press **Next**.



Finally, give the test a name and select the Spider system that will be used to run the test. Once all is complete, press **Create**.

New Test V	Wigard			?	×
Fill in the Note: you	e basic information fo will be able to search	or this test h for this test by "Test name" or "Test descripti	on",		
Create a ne	ew Classical Shock tes	t: DemoShock			
Test name	DemoShock		Append the sequence number		
Test descri	iption:				
Use th	he default libraries of	the previous test of the same type. If default li	travies were not applied before the manufacturing settings will be used.		
© Creati	e test by using a temp	Nate.			
Select	Template name	Description			
Spider syst	terre SYS_259750	4 💌			
Test direct	st directory: C:\Users\Drew\Documents\EDM\demo\DemoShock		Choose		
Create r	new run folder for eac	th run			
			< Back Create ter	t Car	ncel

Test Configuration

Input Channels

Running the Test

From: https://help.go-ci.com/ - **Crystal Instruments Help**

Permanent link: https://help.go-ci.com/vcs:shock?rev=1714683180

Last update: 2024/05/02 20:53